CEE-BEE CLEANER SOLVENT A-951

by Cee-Bee®



data sheet

CEE-BEE CLEANER SOLVENT A-951 is an alternate product for removing corrosion inhibiting compounds and temporary coatings. Also removes grease and shop soils.

BENEFITS

- Slow evaporation. Evaporates completely leaving no solvent residues.
- Excellent solvency for corrosion inhibiting compounds and temporary coatings, as well as for grease and greasy soils.
- Safe for use on all aircraft structural metals including mild steel, high strength steel, stainless steel, aluminum, magnesium and copper.
- Safe for use on most painted surfaces when used as directed.
- Low vapor toxicity. Safer than methyl ethyl ketone (MEK), toluene, xylene, or petroleum hydrocarbon solvents. Safer than the halogenated solvents. This product will not damage the earth's ozone layer.
- Contains no phenolics, cyanides, nitrites, heavy metal salts, or hazardous solvents. This product does not contain methylene chloride or any other halogenated solvent.

CONFORMS TO

- AMS 1526B (PARTIAL TESTING)
- BOEING D6-17487, REVISION P

NOTE: To place an order, call or FAX Customer Service at 800-932-7006 / FAX 1-216-441-1377
Cee-Bee Cleaner Solvent A-951 Product Code # 24051





NOTES PRIOR TO HANDLING

Before using your McGean-Rohco, inc. products, all safety and operating instructions should be read and understood. If you have any questions, please contact your McGean-Rohco representative before proceeding.

USE PROCEDURES

- 1. Wipe surface clean, using clean cloths or nylon fleece scrubbing pads wet with cleaner. Turn frequently to prevent redeposition of soil or residues on cleaned surface
- 2. Wipe with clean, dry cloths. If surface is to be air dried, all residual soil must be wiped away.

PROPERTIES

- Clear, colorless thick gel. Mild solvent odor.
- High flash point, 155 165 ° F (68.3 ° C 73.9 °C)

PRECAUTIONS

- Contains concentrated solvents. Avoid eye and skin contact. Use rubber gloves and face shield or goggles. Some form of eye protection is always absolutely essential.
- Use with adequate ventilation. Do not use in confined areas. Do not take internally. For contact with eyes or skin, flood with water. If eye irritation persists, seek medical attention. For inhalation, remove to fresh air.

PRECAUTIONS (continued)

Store containers in a cool dry area. Open containers slowly to prevent any spewing of contents. Keep containers tightly sealed. Before using on plastic electrical insulation or a painted surface that might be damaged, check effect on samples.

Copyright 1995 McGean-Rohco, Inc. Rev. 4/05